

PUBLISHER CORRECTION

Open Access

# Publisher Correction to: Applied Microscopy



Applied Microscopy

An error occurred during the publication of the below article in *Applied Microscopy*. It was published in volume 50 with incorrect citation number.

Received: 15 January 2020 Accepted: 15 January 2020  
Published online: 05 February 2020

In this correction article the old and new citation metadata is published in Table 1.

**Table 1** Overview of incorrect and correct citation metadata

DOI	Incorrect volume number	Correct volume number	Incorrect citation number	Correct citation number
<a href="https://doi.org/10.1186/s42649-019-0018-0">https://doi.org/10.1186/s42649-019-0018-0</a>	50	49	1	20

The original article has been updated. The publisher apologizes for the inconvenience caused to our authors and readers.

### Submit your manuscript to a SpringerOpen<sup>®</sup> journal and benefit from:

- ▶ Convenient online submission
- ▶ Rigorous peer review
- ▶ Open access: articles freely available online
- ▶ High visibility within the field
- ▶ Retaining the copyright to your article

Submit your next manuscript at ▶ [springeropen.com](https://www.springeropen.com)

The original article can be found online at <https://doi.org/10.1186/s42649-019-0018-0>

Correspondence: [info@biomedcentral.com](mailto:info@biomedcentral.com)  
London, UK

